

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

SECTION 1: Identification of the substance/mixture and of the company/undertaking

· **1.1 Product identifier**

· **Trade name:** Slatted Cover Cleaner

· **Registration number** Mixture

· **1.2 Relevant identified uses of the substance or mixture and uses advised against**

· **Product category** PC35 Washing and cleaning products (including solvent based products)

· **Application of the substance / the mixture** Cleaning agent/ Cleaner

· **Uses advised against**

Processes involving extreme heat use advised against.

Any use carrying a risk of direct contact with eyes/skin where workers are exposed without adequate personal protective equipment (PPE).

· **1.3 Details of the supplier of the safety data sheet**

· **Supplier:**

Complete Pool Controls Ltd
Unit 2, The Park
Stoke Orchard
Bishops Cleeve
Gloucestershire
GL52 7RS
UK

Tel: +44 (0)1242 662700 (office hours)

email: sales@cpc-chemicals.co.uk

· **Further information obtainable from:** Product safety department.

· **1.4 Emergency telephone number:**

OHES Environmental

Tel: 01242 300271

Members of the public seeking specific information on poisons should contact:

In England and Wales: NHS 111 - dial 111

In Scotland: NHS 24 - dial 111

SECTION 2: Hazards identification

· **2.1 Classification of the substance or mixture**

· **Classification according to GB-CLP**

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage.

Aquatic Chronic 2 H411 Toxic to aquatic life with long lasting effects.

· **2.2 Label elements**

· **Labelling according to GB-CLP** The product is classified and labelled according to the GB CLP regulation.

· **Hazard pictograms**



GHS05 GHS09

(Contd. on page 2)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 1)

· **Signal word** Danger

· **Hazard-determining components of labelling:**

Alkyl(C12-16)dimethylbenzylammonium chloride

Non-ionic surfactant

· **Hazard statements**

H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H411 Toxic to aquatic life with long lasting effects.

· **Precautionary statements**

P260 Do not breathe dusts or mists.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P310 Immediately call a POISON CENTER/doctor.

P405 Store locked up.

P501 Dispose of contents/container in accordance with local regulations.

· **The Detergents (Amendment) (EU Exit) Regulations 2020 / Labelling for contents**

cationic surfactants, non-ionic surfactants

<5%

preservation agents (BENZALKONIUM CHLORIDE)

· **2.3 Other hazards**

· **Results of PBT and vPvB assessment**

· **PBT:** Not applicable

· **vPvB:** Not applicable

· **Determination of endocrine-disrupting properties** Not applicable

SECTION 3: Composition/information on ingredients

· **3.2 Mixtures**

· **Description:** Mixture of substances listed below with nonhazardous additions.

· **Dangerous components:**

CAS: 7647-01-0 EINECS: 231-595-7 Index number: 017-002-01-X Reg.nr.: 01-2119484862-27-XXXX	hydrochloric acid ⚠ Met. Corr.1, H290; Skin Corr. 1B, H314; Eye Dam. 1, H318; ⚠ STOT SE 3, H335 Note: B Specific concentration limits: Skin Corr. 1B; H314: C ≥ 25 % Skin Irrit. 2; H315: 10 % ≤ C < 25 % Eye Dam. 1; H318: C ≥ 25 % Eye Irrit. 2; H319: 10 % ≤ C < 25 % STOT SE 3; H335: C ≥ 10 % Met. Corr.1; H290: C ≥ 0.1 %	2.5 – < 10%
CAS: 77-92-9 EINECS: 201-069-1 Index number: 607-750-00-3 Reg.nr.: 01-2119457026-42-XXXX	Citric acid ⚠ Eye Irrit. 2, H319; STOT SE 3, H335	2.5 – < 10%

(Contd. on page 3)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

		(Contd. of page 2)
CAS: 68424-85-1 EINECS: 270-325-2 Reg.nr.: 01-2119965180-41-XXXX	Alkyl(C12-16)dimethylbenzylammonium chloride ⚠ Skin Corr. 1B, H314; ⚠ Aquatic Chronic 1, H410; ⚠ Acute Tox. 4, H302	2.5 – < 5%
CAS: 68439-46-3 EC number: 614-482-0	Non-ionic surfactant Alternative CAS number: 160901-09-7 ⚠ Eye Dam. 1, H318; ⚠ Acute Tox. 4, H302	3 – 10%

· **Additional information:** For the wording of the listed hazard phrases refer to section 16.

SECTION 4: First aid measures

- **4.1 Description of first aid measures**
- **General information:** Immediately remove any clothing soiled by the product.
- **After inhalation:** Supply fresh air; consult doctor in case of complaints.
- **After skin contact:**
Immediately wash with water and soap and rinse thoroughly.
If skin irritation continues, consult a doctor.
Chemical burns must be treated promptly by a physician.
- **After eye contact:**
Check for and remove any contact lenses.
Rinse opened eye for several minutes under running water. Then consult a doctor.
- **After swallowing:**
Rinse out mouth and then drink plenty of water.
Do not induce vomiting; call for medical help immediately.
If vomiting occurs spontaneously, keep head below hips to prevent aspiration.
- **Information for doctor:** Treat symptomatically and supportively.
- **4.2 Most important symptoms and effects, both acute and delayed** Corrosive damage to gastro-intestinal tract.
- **Hazards** Danger of gastric perforation.
- **4.3 Indication of any immediate medical attention and special treatment needed**
No further relevant information available.

SECTION 5: Firefighting measures

- **5.1 Extinguishing media**
- **Suitable extinguishing agents:**
CO₂, powder or water spray. Fight larger fires with water spray.
Use fire extinguishing methods suitable to surrounding conditions.
- **For safety reasons unsuitable extinguishing agents:** Water with full jet
- **5.2 Special hazards arising from the substance or mixture**
Reacts with light metals in the presence of water, releasing hydrogen.
In case of fire, the following can be released:
Carbon monoxide and carbon dioxide
Chlorine compounds
Hydrogen chloride (HCl)
Nitrogen oxides (NO_x)
- **5.3 Advice for firefighters**
- **Protective equipment:**
Do not inhale explosion gases or combustion gases.
Wear self-contained respiratory protective device.

(Contd. on page 4)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 3)

Wear fully protective suit.

Additional information

Cool endangered receptacles with water spray.

Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation

Particular danger of slipping on leaked/spilled product.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions:

Do not allow to penetrate the ground/soil.

Do not allow product to reach sewage system or any water course in the undiluted form.

Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Contain and collect spillage with non-combustible, absorbent material e.g.sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Lime slurry can be used to neutralize material (e.g. 10 - 50% potassium carbonate solution or 10 - 30% sodium carbonate solution).

Ensure adequate ventilation.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling

Avoid direct contact (skin/eye contact, ingestion and/or inhalation of fume/mist/dust) with the product in the undiluted form.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Safety showers and eye wash facilities should be available at the work area.

Information about fire - and explosion protection: Keep respiratory protective device available.

7.2 Conditions for safe storage, including any incompatibilities
Storage:
Requirements to be met by storerooms and receptacles: Prevent any seepage into the ground.

Information about storage in one common storage facility:

Store away from oxidising agents.

Store away from metals.

Do not store together with alkalis (caustic solutions).

Further information about storage conditions:

Protect from frost.

Store in cool, dry conditions in well sealed receptacles.

Store in a bunded area.

Storage class: 8 B

(Contd. on page 5)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 4)

· 7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

· 8.1 Control parameters

· Ingredients with limit values that require monitoring at the workplace:

CAS: 7647-01-0 hydrochloric acid

WEL	Short-term value: 8 mg/m ³ , 5 ppm Long-term value: 2 mg/m ³ , 1 ppm (gas and aerosol mists)
-----	--

· DNELs

CAS: 7647-01-0 hydrochloric acid

Inhalative	Long-term local effects	8 mg/m ³ (general population)
		8 mg/m ³ (worker)
	Short-term local effects	15 mg/m ³ (general population)
		15 mg/m ³ (worker)

CAS: 68439-46-3 Non-ionic surfactant

Oral	Long-term systemic effects	25 mg/kg bw/day (general population)
Dermal	Long-term systemic effects	1,250 mg/kg bw/day (general population)
		2,080 mg/kg bw/day (worker)
Inhalative	Long-term systemic effects	87 mg/m ³ (general population)
		294 mg/m ³ (worker)

· PNECs

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Freshwater	420 ng/L
Freshwater - Intermittent releases	160 ng/L
Marine water	96 ng/L
Marine Water - Intermittent releases	207 ng/L
Sewage Treatment Plant	160 µg/L
Sediment (freshwater)	68 mg/kg
Sediment (marine water)	15.75 mg/kg
Soil	1.66 mg/kg

CAS: 68439-46-3 Non-ionic surfactant

Freshwater	103.79 µg/L
Freshwater - Intermittent releases	14 µg/L
Marine water	103.79 µg/L
Sewage Treatment Plant	1.4 mg/L
Sediment (freshwater)	13.7 mg/kg
Sediment (marine water)	13.7 mg/kg
Soil	1 mg/kg

(Contd. on page 6)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 5)

- **Additional information:** The lists valid during the making were used as basis.

· **8.2 Exposure controls**

- **Appropriate engineering controls** No further data; see section 7.

- **Individual protection measures, such as personal protective equipment**

· **General protective and hygienic measures:**

The usual precautionary measures are to be adhered to when handling chemicals.

Do not eat, drink, smoke or sniff while working.

Ensure that eyewash stations and safety showers are close to the workstation location.

Take note of assigned Workplace Exposure Limits.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Wash hands before breaks and at the end of work.

Do not inhale gases / fumes / aerosols.

Avoid contact with the eyes and skin.

- **Respiratory protection:** Use suitable respiratory protective device in case of insufficient ventilation.

· **Hand protection**



Protective gloves.

Use gloves tested and approved under appropriate government standards such as NIOSH (US) or EN374 (EU).

The glove material has to be impermeable and resistant to the product/ the substance/ the preparation.

Selection of the glove material on consideration of the penetration times, rates of diffusion and the degradation

· **Material of gloves**

The selection of the suitable gloves does not only depend on the material, but also on further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be calculated in advance and has therefore to be checked prior to the application.

· **Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

· **Eye/face protection**



Tightly sealed goggles conforming to EN166.



Face shield/visor.

Use equipment tested and approved under appropriate government standards such as EN166 (EU) or NIOSH (US)

Use visor in combination with goggles.

· **Body protection:**



Impervious protective clothing

Do not get on skin or clothing. Wear clothing and footwear that cannot be penetrated by the product. Suitable protective equipment may include: Chemical resistant boots, Chemical resistant apron, Full chemical protective suit with a hood, Chemical protective suit consisting of a jacket and trousers. The jacket should be buttoned up to the neck, sleeves sealed at the gloves, and trouser legs worn outside the boots. These precautions are required to prevent the clothing from accidentally trapping product against the skin.

(Contd. on page 7)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 6)

- **Environmental exposure controls** Do not allow to enter drains, sewers or watercourses.
- **Risk management measures** The operators shall be instructed adequately.

SECTION 9: Physical and chemical properties

· 9.1 Information on basic physical and chemical properties

· General Information

· Physical state	Liquid
· Colour:	Purple
· Odour:	Pungent
· Melting point/freezing point:	Undetermined
· Boiling point or initial boiling point and boiling range	90 – 100 °C (CAS: 7732-18-5 Water)
· Flammability	Not applicable
· Lower and upper explosion limit	
· Lower:	Not determined
· Upper:	Not determined
· Flash point:	Not applicable
· Decomposition temperature:	Not determined
· pH at 20 °C	1 – 1.5
· Viscosity:	
· Kinematic viscosity	Not determined
· Dynamic:	Not determined
· Solubility	
· water:	Fully miscible.
· Partition coefficient n-octanol/water (log value)	Not determined
· Vapour pressure at 20 °C:	23 hPa (CAS: 7732-18-5 Water)
· Density and/or relative density	
· Density at 20 °C:	1.04 g/cm ³
· Relative density	Not determined
· Vapour density	Not determined
· Particle characteristics	Not applicable

· 9.2 Other information

NOTE: The physical data presented above are typical values and should not be construed as a specification.

· Appearance:	
· Form:	Liquid
· Important information on protection of health and environment, and on safety.	
· Ignition temperature:	Product is not self-igniting.
· Explosive properties:	Product does not present an explosion hazard.
· Solvent content:	
· VOC (EC)	0.32 %
· Change in condition	
· Evaporation rate	Not determined

· Information with regard to physical hazard classes

· Corrosive to metals	May be corrosive to metals.
-----------------------	-----------------------------

— GB —

(Contd. on page 8)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 7)

SECTION 10: Stability and reactivity

- **10.1 Reactivity** No further relevant information available.
- **10.2 Chemical stability**
- **Thermal decomposition / conditions to be avoided:**
No decomposition if used and stored according to specifications.
- **10.3 Possibility of hazardous reactions** Exothermic reaction with alkalis
- **10.4 Conditions to avoid** No further relevant information available.
- **10.5 Incompatible materials:**
Finely powdered metals.
Strong bases, sodium hypochlorite.
- **10.6 Hazardous decomposition products:**
Phosphorus compounds
Carbon monoxide and carbon dioxide
Hydrogen chloride (HCl)
Nitrogen oxides (NO_x)

SECTION 11: Toxicological information

- **11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008**
- **Acute toxicity** Based on available data, the classification criteria are not met.

· LD/LC50 values relevant for classification:

ATE (Acute Toxicity Estimates)

Oral	LD50	7,551.7 mg/kg (rat)
------	------	---------------------

CAS: 77-92-9 Citric acid

Oral	LD50	5,400 mg/kg (mouse)
Dermal	LD50	> 5,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5 mg/l (rat)

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride

Oral	LD50	795 mg/kg (rat)
Dermal	LD50	3,400 mg/kg (rabbit)

CAS: 68439-46-3 Non-ionic surfactant

Oral	LD50	316.84 mg/kg (rat)
Dermal	LD50	> 2,000 mg/kg (rat)
Inhalative	LC50/4 h	> 5,000 mg/l (rat)

- **Primary irritant effect:**
- **Skin corrosion/irritation**
Causes severe skin burns and eye damage.
- **Serious eye damage/irritation** Causes serious eye damage.
- **Respiratory or skin sensitisation** Based on available data, the classification criteria are not met.
- **Germ cell mutagenicity** Based on available data, the classification criteria are not met.
- **Carcinogenicity** Based on available data, the classification criteria are not met.
- **Reproductive toxicity** Based on available data, the classification criteria are not met.
- **STOT-single exposure** Based on available data, the classification criteria are not met.
- **STOT-repeated exposure** Based on available data, the classification criteria are not met.

(Contd. on page 9)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 8)

- **Aspiration hazard** Based on available data, the classification criteria are not met.
- **Additional toxicological information:**
Swallowing will lead to a strong caustic effect on mouth and throat and to the danger of perforation of oesophagus and stomach.
Inhalation may cause lung oedema, but only after initial corrosive effects on eyes and/or airways have become manifest. The symptoms of lung oedema often do not become manifest until a few hours have passed and they are aggravated by physical effort. Rest and medical observation are therefore essential. Immediate administration of an appropriate inhalation therapy by a doctor or a person authorized by him/her, should be considered.
- **11.2 Information on other hazards**

· Endocrine disrupting properties
--

None of the ingredients are listed.

SECTION 12: Ecological information

- **12.1 Toxicity**

- **Aquatic toxicity:**

CAS: 77-92-9 Citric acid	
---------------------------------	--

LC50 (96 h)	100 mg/l (Fish)
EC50 (48 h)	50 mg/l (Bacteria)

CAS: 68424-85-1 Alkyl(C12-16)dimethylbenzylammonium chloride	
---	--

LC50 (96 h) (static)	0.85 mg/l (Fish)
EC50 (48 h)	0.016 mg/l (Bacteria)
EC50 (72 h)	0.02 mg/l (Selenastrum capricornutum)

- **12.2 Persistence and degradability** The organic portion of the product is biodegradable.
- **12.3 Bioaccumulative potential** Product is not expected to bioaccumulate.
- **12.4 Mobility in soil** No further relevant information available.
- **12.5 Results of PBT and vPvB assessment**
- **PBT:** Not applicable
- **vPvB:** Not applicable
- **12.6 Endocrine disrupting properties** The product does not contain substances with endocrine disrupting properties.
- **12.7 Other adverse effects**
- **Remark:** Toxic for fish
- **Additional ecological information:**
- **General notes:**
Toxic for aquatic organisms
Also poisonous for fish and plankton in water bodies.
Must not reach sewage water or drainage ditch undiluted or unneutralised.
Water hazard class 1 (German Regulation) (Self-assessment): slightly hazardous for water
Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

SECTION 13: Disposal considerations

- **13.1 Waste treatment methods**
- **Recommendation**
Recommended Hierarchy of Controls:
 - Minimise waste;
 - Reuse if not contaminated;

(Contd. on page 10)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 9)

- Recycle, if possible; or
- Safe disposal (if all else fails).

Must not be disposed together with household garbage. Do not allow product to reach sewage system.

Contact waste processors for recycling information.

Used, degraded or contaminated product may be classified as hazardous waste. Anyone classifying hazardous waste and determining its fate must be qualified in accordance with state and international legislation.

· **Uncleaned packaging:**

· **Recommendation:**

Empty contaminated packagings thoroughly. They may be recycled after thorough and proper cleaning.

Container remains hazardous when empty. Continue to observe all precautions.

Disposal must be made according to official regulations.

Containers, even those that are "empty," may contain residues that can develop flammable and/or hazardous vapours upon heating. Do not cut, drill, grind, weld, or perform similar operations on or near empty containers.

· **Recommended cleansing agents:** Water, if necessary together with cleansing agents.

SECTION 14: Transport information

· **14.1 UN number or ID number**

· **ADR, IMDG, IATA**

UN3264

· **14.2 UN proper shipping name**

· **ADR**

UN3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Alkyl(C12-16) dimethylbenzylammonium chloride), ENVIRONMENTALLY HAZARDOUS

· **IMDG**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Alkyl(C12-16) dimethylbenzylammonium chloride), MARINE POLLUTANT

· **IATA**

CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, Alkyl(C12-16) dimethylbenzylammonium chloride)

· **14.3 Transport hazard class(es)**

· **ADR**



· **Class**

8 (C1) Corrosive substances.

· **Label**

8

· **IMDG**



· **Class**

8 Corrosive substances.

(Contd. on page 11)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 10)

· Label	8
· IATA	
	
· Class	8 Corrosive substances.
· Label	8
· 14.4 Packing group	
· ADR, IMDG, IATA	III
· 14.5 Environmental hazards:	Product contains environmentally hazardous substances: Alkyl(C12-16)dimethylbenzylammonium chloride
· Marine pollutant:	Symbol (fish and tree)
· Special marking (ADR):	Symbol (fish and tree)
· 14.6 Special precautions for user	Warning: Corrosive substances.
· Hazard identification number (Kemler code):	80
· Emergency Action Code:	2X
· EMS Number:	F-A,S-B
· Segregation groups	(SGG1) Acids
· Stowage Category	B
· Stowage Code	SW2 Clear of living quarters.
· Segregation Code	SG36 Stow "separated from" SGG18-alkalis. SG49 Stow "separated from" SGG6-cyanides
· 14.7 Maritime transport in bulk according to IMO instruments	Not applicable
· Transport/Additional information:	Amounts up to 5kg or 5L per single or inner package do not require the Environmentally Hazardous mark in accordance with ADR 5.2.1.8.1 and IMDG 2.10.2.7.
· ADR	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
· Transport category	3
· Tunnel restriction code	E
· IMDG	
· Limited quantities (LQ)	5L
· Excepted quantities (EQ)	Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Contd. on page 12)

— GB —

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 11)

· UN "Model Regulation":	UN 3264 CORROSIVE LIQUID, ACIDIC, INORGANIC, N.O.S. (HYDROCHLORIC ACID, ALKYL(C12-16) DIMETHYLBENZYLAMMONIUM CHLORIDE), 8, III, ENVIRONMENTALLY HAZARDOUS
--------------------------	---

SECTION 15: Regulatory information

- 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture
- Poisons Act

· Regulated explosives precursors

CAS: 7647-01-0 hydrochloric acid	10%
------------------------------------	-----

· Regulated poisons

None of the ingredients are listed.

· Reportable explosives precursors

None of the ingredients are listed.

· Reportable poisons

None of the ingredients are listed.

· Control Of Major Accident Hazards Regulations 2015 (COMAH)

· Named dangerous substances - ANNEX I None of the ingredients are listed.

· COMAH category E2

· Qualifying quantity (tonnes) for the application of lower-tier requirements 200 t

· Qualifying quantity (tonnes) for the application of upper-tier requirements 500 t

· REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3

· DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients are listed.

· REGULATION (EU) 2019/1148

· Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients are listed.

· Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients are listed.

· 15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

This Safety Data Sheet is in compliance with Regulation (EC) No 1907/2006, Article 31 as amended by Regulation (EU) 2020/878.

· Relevant phrases

H290 May be corrosive to metals.

(Contd. on page 13)

Safety Data Sheet

according to UK REACH (SI 2020/1577) as amended

Issue date: 23.02.2026

Version number: 1

Revision date: 23.02.2026

Trade name: Slatted Cover Cleaner

(Contd. of page 12)

H302 Harmful if swallowed.
H314 Causes severe skin burns and eye damage.
H315 Causes skin irritation.
H318 Causes serious eye damage.
H319 Causes serious eye irritation.
H335 May cause respiratory irritation.
H410 Very toxic to aquatic life with long lasting effects.

• **Training hints**

This product should only be handled by workers who have received sufficient training in the safe handling and use of chemical products.

• **Department issuing SDS:** Product safety department.

• **Abbreviations and acronyms:**

UK REACH: REGULATION (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB CLP: REGULATION (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures.

UFI: Unique Formula Identifier

UK- REACH: The UK REACH etc. (Amendment etc.) (EU Exit) Regulations 2019 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals

GB- CLP: Retained GB CLP Regulation (EU) No. 1272/2008 as amended for Great Britain on the Classification, Labelling and Packaging of Chemicals.

ADR: Accord relatif au transport international des marchandises dangereuses par route (European Agreement Concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals

EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU)

DNEL: Derived No-Effect Level (UK REACH)

PNEC: Predicted No-Effect Concentration (UK REACH)

LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

PBT: Persistent, Bioaccumulative and Toxic

vPvB: very Persistent and very Bioaccumulative

ATE: Acute toxicity estimate values

Met. Corr.1: Corrosive to metals – Category 1

Acute Tox. 4: Acute toxicity – Category 4

Skin Corr. 1B: Skin corrosion/irritation – Category 1B

Eye Dam. 1: Serious eye damage/eye irritation – Category 1

Eye Irrit. 2: Serious eye damage/eye irritation – Category 2

STOT SE 3: Specific target organ toxicity (single exposure) – Category 3

Aquatic Chronic 1: Hazardous to the aquatic environment - long-term aquatic hazard – Category 1

Aquatic Chronic 2: Hazardous to the aquatic environment - long-term aquatic hazard – Category 2